To: McCauley, Joanna[McCauley.Joanna@epa.gov]; Wagner, Christine[Wagner.Christine@epa.gov]

Cc: Nonresponsive based on revised scope @erlic.com]

From: Paul Peronard[p.peronard@erlic.com]

Sent: Tue 8/28/2018 1:07:06 PM (UTC)

Subject: FW: 3-S467 Shiloh Church Road Site DRAFT 1900-55 dated 8\_12\_18

ATT00001.txt

3-S467 Shiloh Church Road Site DRAFT 1900-55 dated 8 12 18.pdf

Good Morning Joanna and Chris, please when you have a moment to review the attached draft 1900-55 dated 8/12/18.

After we finalize this draft 1900-55, would it be okay to combine a couple weeks work on next 1900-55? This will get us caught up to date.


Please let me know we appreciate it

## Thank you

## Nonresponsive based on revised scope

Field Cost Accountant

Environmental Restoration, LLC



From: Nonresponsive based on revised scope

Sent: Wednesday, August 22, 2018 3:55 PM

To: 'McCauley, Joanna' <McCauley. Joanna@epa.gov>; Wagner, Christine <Wagner. Christine@epa.gov>

Cc: Nonresponsive based on revised scope @erlic.com>

Subject: 3-S467 Shiloh Church Road Site DRAFT 1900-55 dated 8\_12\_18

Good Afternoon Joanna and Chris, please see the week ending 8/12/18 draft 1900-55. Please let me know if I need to make any adjustments. We appreciate it

## Thank you



Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.